







PR: 21  
km 0,290 00




Srovnávací rovina 424,50 m.n.m. B.p.v.

PR: 22  
km 0,300 00



Srovnávací rovina 424,00 m.n.m. B.p.v.

PR: 23  
km 0,320 00



Srovnávací rovina 423,50 m.n.m. B.p.v.

PR: 24  
km 0,340 00




Srovnávací rovina 422,50 m.n.m. B.p.v.

PR: 25  
km 0,360 00




Srovnávací rovina 421,50 m.n.m. B.p.v.

PR: 26  
km 0,380 00




Srovnávací rovina 421,00 m.n.m. B.p.v.

PR: 27  
km 0,400 00



Srovnávací rovina 420,50 m.n.m. B.p.v.

PR: 28  
km 0,407 36



Srovnávací rovina 420,50 m.n.m. B.p.v.

Technical drawing of a road cross-section. The drawing shows a road with a 1:2 slope on the left and a 3:00 slope on the right. The road width is 3,16m. The shoulder width is 2,75m. The elevations are 2,66, 2,55, 2,70, 2,64, 422,63, and 422,51. The drawing includes dimensions for the road width (3,16m), shoulder width (2,75m), and various elevations (2,66, 2,55, 2,70, 2,64, 422,63, 422,51).

PR: 30  
km 0,430 00

Diagram illustrating a horizontal curve with a radius of 422,06m. The curve is divided into four segments with lengths 0,60, 3,25, 2,75, and 0,75. Stationing is marked at 2,20, 2,09, 422,17, 2,24, and 2,18. Tangent angles are 1,2490%, 2,50%, 2,50%, and 8,00%. A 3,00% grade is indicated at the bottom.

PR: 31  
km 0,440 00

The diagram illustrates a road cross-section with a 1:2.00% slope. Key dimensions and values include:

- Top Dimensions (from left to right):** 0,60, 3,10, 2,75, 0,75.
- Left Side Vertical Dimensions:** 1,77, 1,66.
- Right Side Vertical Dimensions:** 1,77, 1,71.
- Center Vertical Dimensions:** 421,74 (top), 421,72 (bottom).
- Bottom Dimensions (from left to right):** 2,50%, 0,98%, 8,00% (top); 3,00%, 1,05% (bottom).

PR: 32  
km 0,460 00

The diagram shows a road cross-section with a 1:2.00% slope on the left. The road width is 421.01. The total width of the road and shoulders is 421.03. The dimensions are as follows:


- Left shoulder width: 0.60
- Left shoulder depth: 1.07
- Left shoulder slope: 0.96
- Right shoulder width: 0.75
- Right shoulder depth: 0.90
- Right shoulder slope: 0.96
- Left shoulder slope: 2.81
- Right shoulder slope: 2.75
- Left shoulder slope: 2.50%
- Right shoulder slope: 2.50%
- Left shoulder slope: 3.00%
- Right shoulder slope: 3.00%
- Left shoulder slope: 8.00%

Srovnávací rovina 418,50 m.n.m. B.p.v.






PR: 37  
km 0,530 00




Srovnávací rovina 417,00 m.n.m. B.p.v.

PR: 38  
km 0,540 00




Srovnávací rovina 416,50 m.n.m. B.p.v.

PR: 39  
km 0,550 00




Srovnávací rovina 416,50 m.n.m. B.p.v.

PR: 40  
km 0,560 00




Srovnávací rovina 416,00 m.n.m. B.p.v.

PR: 41  
km 0,580 00




Srovnávací rovina 415,50 m.n.m. B.p.v.

PR: 42  
km 0,590 00




Srovnávací rovina 415,50 m.n.m. B.p.v.

PR: 43  
km 0,600 00




Srovnávací rovina 415,00 m.n.m. B.p.v.

PR: 44  
km 0,610 00




Srovnávací rovina 414,50 m.n.m. B.p.v.

PR: 45  
km 0,620 00




Srovnávací rovina 414,00 m.n.m. B.p.v.

PR: 46  
km 0,630 00




Srovnávací rovina 413,50 m.n.m. B.p.v.

PR: 47  
km 0,640 00




Srovnávací rovina 413,50 m.n.m. B.p.v.

PR: 48  
km 0,660 00




Srovnávací rovina 413,00 m.n.m. B.p.v.

PR: 49  
km 0,680 00




Srovnávací rovina 412,50 m.n.m. B.p.v.

PR: 50  
km 0,690 00




Srovnávací rovina 412,00 m.n.m. B.p.v.

PR: 51  
km 0,700 00




Srovnávací rovina 411,50 m.n.m. B.p.v.

PR: 52  
km 0,720 00




Srovnávací rovina 411,50 m.n.m. B.p.v.

PR: 53  
km 0,740 00




Srovnávací rovina 411,00 m.n.m. B.p.v.

PR: 54  
km 0,750 17




Srovnávací rovina 410,50 m.n.m. B.p.v.

PR: 55  
km 0,780 00




Srovnávací rovina 410,00 m.n.m. B.p.v.

PR: 56  
km 0,800 00




Srovnávací rovina 409,50 m.n.m. B.p.v.

PR: 57  
km 0,810 00




Srovnávací rovina 409,50 m.n.m. B.p.v.

PR: 58  
km 0,820 00




Srovnávací rovina 409,00 m.n.m. B.p.v.

PR: 59  
km 0,830 00







Srovnávací rovina 409,00 m.n.m. B.p.v.

PR: 60  
km 0,840 00




Srovnávací rovina 409,00 m.n.m. B.p.v.








PR: 69  
km 0,950 00




Srovnávací rovina 406,50 m.n.m. B.p.v.

PR: 70  
km 0,960 00




Srovnávací rovina 406,50 m.n.m. B.p.v.

PR: 71  
km 0,970 00



Srovnávací rovina 406,00 m.n.m. B.p.v.

PR: 72  
km 0,980 00







Srovnávací rovina 406,00 m.n.m. B.p.v.



























PR: 101  
km 1,460 00




Srovnávací rovina 397,00 m.n.m. B.p.v.

PR: 102  
km 1,470 00




Srovnávací rovina 396,50 m.n.m. B.p.v.

PR: 103  
km 1,480 00




Srovnávací rovina 396,50 m.n.m. B.p.v.

PR: 104  
km 1,490 00




Srovnávací rovina 396,50 m.n.m. B.p.v.

PR: 105  
km 1,500 00




Srovnávací rovina 396,50 m.n.m. B.p.v.

PR: 106  
km 1,520 00




Srovnávací rovina 396,00 m.n.m. B.p.v.

PR: 107  
km 1,540 00







Srovnávací rovina 395,50 m.n.m. B.p.v.





PR: 108  
km 1,560 00




Srovnávací rovina 395,50 m.n.m. B.p.v.








PR: 121  
km 1,740 00




Srovnávací rovina 392,00 m.n.m. B.p.v.

PR: 122  
km 1,760 00




Srovnávací rovina 391,50 m.n.m. B.p.v.

PR: 123  
km 1,780 00




Srovnávací rovina 391,00 m.n.m. B.p.v.

PR: 124  
km 1,790 00




Srovnávací rovina 391,00 m.n.m. B.p.v.

PR: 125  
km 1,800 00




Srovnávací rovina 390,50 m.n.m. B.p.v.

PR: 126  
km 1,810 00




Srovnávací rovina 390,50 m.n.m. B.p.v.

PR: 127  
km 1,820 00







Srovnávací rovina 390,50 m.n.m. B.p.v.





PR: 128  
km 1,830 00







Srovnávací rovina 390,50 m.n.m. B.p.v.













PR: 145  
km 2,020 00




Srovnávací rovina 387,50 m.n.m. B.p.v.

PR: 146  
km 2,030 00




Srovnávací rovina 387,00 m.n.m. B.p.v.

PR: 147  
km 2,040 00




Srovnávací rovina 387,00 m.n.m. B.p.v.

PR: 148  
km 2,050 00




Srovnávací rovina 387,00 m.n.m. B.p.v.

PR: 149  
km 2,060 00




Srovnávací rovina 386,50 m.n.m. B.p.v.

PR: 150  
km 2,080 00




Srovnávací rovina 386,00 m.n.m. B.p.v.

PR: 151  
km 2,100 00




Srovnávací rovina 385,50 m.n.m. B.p.v.

PR: 152  
km 2,130 00




Srovnávací rovina 384,50 m.n.m. B.p.v.

PR: 153  
km 2,140 00




Srovnávací rovina 384,50 m.n.m. B.p.v.

PR: 154  
km 2,146 06




Srovnávací rovina 384,00 m.n.m. B.p.v.

PR: 155  
km 2,150 00




Srovnávací rovina 384,00 m.n.m. B.p.v.

PR: 156  
km 2,160 00




Srovnávací rovina 384,00 m.n.m. B.p.v.

PR: 157  
km 2,167 81



Srovnávací rovina 383,50 m.n.m. B.p.v.


PR: 158  
km 2,180 00




Srovnávací rovina 383,00 m.n.m. B.p.v.




PR: 159  
km 2,194 00




PR: 160  
km 2,200 00



PR: 161  
km 2,210 00



PR: 162  
km 2,220 00




The diagram shows a roof structure with the following dimensions and slopes:

- Horizontal dimensions: 0,60, 3,40, 2,75, 0,75.
- Vertical dimensions: 6,59, 6,47, 6,17, 6,11.
- Slopes: 1:2,50, 5,00%, 5,00%, 8,00%, 1:3.
- Key points: 386,28, 386,30, 386,43.

The diagram shows a roof structure with a central vertical dashed line. The roof is divided into four sections with horizontal dimensions: 0,60, 3,40, 2,75, and 0,75. The vertical dimensions on the left are 6,46 and 6,35, and on the right are 6,04 and 5,98. The roof slopes are indicated by red lines with arrows and percentages: 1:2,50 (0,00%) on the left, 5,00% in the first three sections, and 8,00% in the last section. The right slope is labeled 1:3. The horizontal distance from the left edge to the central line is 386,17, and from the central line to the right edge is 386,38.


Srovnávací rovina 383,50 m.n.m. B.p.v.

PR: 167  
km 2,270 00




Srovnávací rovina 383,00 m.n.m. B.p.v.

PR: 168  
km 2,280 00



Srovnávací rovina 383,00 m.n.m. B.p.v.

PR: 169  
km 2,290 00




Srovnávací rovina 383,00 m.n.m. B.p.v.

PR: 170  
km 2,300 00




Srovnávací rovina 382,50 m.n.m. B.p.v.

PR: 171  
km 2,310 00




Srovnávací rovina 382,50 m.n.m. B.p.v.

PR: 172  
km 2,320 00




Srovnávací rovina 382,00 m.n.m. B.p.v.

PR: 173  
km 2,340 00




Srovnávací rovina 382,00 m.n.m. B.p.v.

PR: 174  
km 2,350 00




Srovnávací rovina 382,00 m.n.m. B.p.v.

PR: 175  
km 2,360 00




Srovnávací rovina 381,50 m.n.m. B.p.v.

PR: 176  
km 2,370 00




Srovnávací rovina 381,50 m.n.m. B.p.v.

PR: 177  
km 2,380 00



Srovnávací rovina 381,50 m.n.m. B.p.v.

PR: 178  
km 2,400 00



Srovnávací rovina 381,50 m.n.m. B.p.v.






PR: 187  
km 2,520 00




Srovnávací rovina 380,00 m.n.m. B.p.v.

PR: 188  
km 2,540 00




Srovnávací rovina 380,00 m.n.m. B.p.v.

PR: 189  
km 2,550 00



Srovnávací rovina 379,50 m.n.m. B.p.v.


PR: 190  
km 2,560 00



Srovnávací rovina 379,50 m.n.m. B.p.v.




PR: 191  
km 2,570 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 192  
km 2,580 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 193  
km 2,590 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 194  
km 2,600 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 195  
km 2,610 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 196  
km 2,620 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 197  
km 2,630 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 198  
km 2,640 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 199  
km 2,660 00




Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 200  
km 2,670 00



Srovnávací rovina 379,50 m.n.m. B.p.v.

PR: 201  
km 2,680 00



Srovnávací rovina 379,50 m.n.m. B.p.v.


PR: 202  
km 2,710 00



Srovnávací rovina 379,50 m.n.m. B.p.v.




PR: 206  
km 2,750 00




Srovnávací rovina 380,00 m.n.m. B.p.v.

PR: 207  
km 2,760 00



Srovnávací rovina 380,00 m.n.m. B.p.v.


PR: 208  
km 2,780 00



Srovnávací rovina 380,00 m.n.m. B.p.v.




PR: 212  
km 2,840 00




Srovnávací rovina 380,00 m.n.m. B.p.v.

PR: 213  
km 2,850 00



Srovnávací rovina 380,00 m.n.m. B.p.v.

PR: 214  
km 2,860 00



Srovnávací rovina 380,00 m.n.m. B.p.v.

PR: 215  
km 2,880 00



Srovnávací rovina 379,50 m.n.m. B.p.v.










Diagram of a beam with a triangular load. The beam has a total length of 10.00m. The load starts at 0.60 kN/m at the left end and increases linearly to 9.62 kN/m at the right end. The beam is supported by a pin support at the left end and a roller support at the right end. The load is represented by a red triangle with a peak of 9.62 kN/m. The beam is divided into segments of 2.75m and 0.75m by the supports.




Srovnávací rovina 377,00 m.n.m. B.p.v.
--

Diagram illustrating a horizontal line with points and segments. The line is divided into four segments by five points. The segments are labeled with red numbers above the line: 0,60, 2,75, 2,75, and 0,75. The points are labeled with red numbers below the line: 9,42, 9,31, ., 9,31, and 9,25. A vertical dashed line passes through the point labeled '.'.



Srovnávací rovina 377,00 m.n.m. B.p.v.


Diagram of a beam with a triangular load. The beam has a total length of 10m, divided into segments of 0.60m, 2.75m, 2.75m, and 0.75m. The load intensity is 9.13 kN/m at the left end, decreasing linearly to 8.96 kN/m at the right end. The load is represented by a red triangle above the beam.



Srovnávací rovina 376,50 m.n.m. B.p.v.





PR: 225  
km 3,040 00





Srovnávací rovina 375,50 m.n.m. B.p.v.

PR: 226  
km 3,050 00





Srovnávací rovina 375,00 m.n.m. B.p.v.

PR: 227  
km 3,060 00




Srovnávací rovina 375,00 m.n.m. B.p.v.

PR: 228  
km 3,070 00




Srovnávací rovina 375,00 m.n.m. B.p.v.

PR: 229  
km 3,080 00




Srovnávací rovina 374,50 m.n.m. B.p.v.

PR: 230  
km 3,090 00



Srovnávací rovina 374,50 m.n.m. B.p.v.


PR: 231  
km 3,100 00



Srovnávací rovina 374,00 m.n.m. B.p.v.





PR: 235  
km 3,180 00




Srovnávací rovina 372,50 m.n.m. B.p.v.

PR: 236  
km 3,200 00




Srovnávací rovina 372,50 m.n.m. B.p.v.

PR: 237  
km 3,210 00




Srovnávací rovina 372,50 m.n.m. B.p.v.

PR: 238  
km 3,220 00




Srovnávací rovina 372,50 m.n.m. B.p.v.

PR: 239  
km 3,230 00




Srovnávací rovina 372,00 m.n.m. B.p.v.

PR: 240  
km 3,240 00




Srovnávací rovina 372,00 m.n.m. B.p.v.

PR: 241  
km 3,260 00




Srovnávací rovina 372,00 m.n.m. B.p.v.

PR: 242  
km 3,280 00



Srovnávací rovina 371,50 m.n.m. B.p.v.


PR: 243  
km 3,300 00



Srovnávací rovina 371,50 m.n.m. B.p.v.




PR: 244  
km 3,310 00




Srovnávací rovina 371,50 m.n.m. B.p.v.

PR: 245  
km 3,320 00




Srovnávací rovina 371,00 m.n.m. B.p.v.

PR: 246  
km 3,330 00




Srovnávací rovina 371,00 m.n.m. B.p.v.

PR: 247  
km 3,340 00




Srovnávací rovina 371,00 m.n.m. B.p.v.

PR: 248  
km 3,360 00



Srovnávací rovina 371,00 m.n.m. B.p.v.


PR: 249  
km 3,380 00



Srovnávací rovina 371,00 m.n.m. B.p.v.

PR: 250  
km 3,390 00


0,60 2,77 2,75 0,75  
3,23 3,12 3,12 3,06



Srovnávací rovina 370,50 m.n.m. B.p.v.

PR: 251  
km 3,400 00


0,60 2,72 2,78 0,75  
3,03 2,92 2,91 2,85



Srovnávací rovina 370,50 m.n.m. B.p.v.

PR: 252  
km 3,410 00


0,60 2,61 2,89 0,75  
2,77 2,66 2,65 2,59



Srovnávací rovina 370,00 m.n.m. B.p.v.

PR: 253  
km 3,420 00


0,60 2,45 3,05 0,75  
2,49 2,37 2,36 2,30



Srovnávací rovina 370,00 m.n.m. B.p.v.

PR: 254  
km 3,440 00


0,60 2,58 2,92 0,75  
1,90 1,79 1,78 1,72



Srovnávací rovina 369,50 m.n.m. B.p.v.

PR: 255  
km 3,460 00

0,60 2,80 2,85 0,75  
1,37 1,26 1,21 1,15



Srovnávací rovina 369,00 m.n.m. B.p.v.



PR: 259  
km 3,500 00



Srovnávací rovina 367,50 m.n.m. B.p.v.

PR: 260  
km 3,510 00



Srovnávací rovina 367,50 m.n.m. B.p.v.

PR: 261  
km 3,520 00



Srovnávací rovina 367,50 m.n.m. B.p.v.

PR: 262  
km 3,540 00



Srovnávací rovina 367,50 m.n.m. B.p.v.

The diagram illustrates the intersection of a horizontal curve and a vertical curve. The horizontal curve has a radius of 369,58 and a central angle of 1:20,00%. The vertical curve has a length of 369,70 and a grade of 2,50%. The diagram shows the intersection of the horizontal and vertical curves, with various dimensions and angles labeled.

[illegible]

Srovnávací rovina 366,50 m.n.m. B.p.v.